



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## R-(-)-Flecainide

<b>Cat. No.:</b>	HY-124883
<b>CAS No.:</b>	99495-90-6
<b>Molecular Formula:</b>	C <sub>17</sub> H <sub>20</sub> F <sub>6</sub> N <sub>2</sub> O <sub>3</sub>
<b>Molecular Weight:</b>	414.34
<b>Target:</b>	Others
<b>Pathway:</b>	Others
<b>Storage:</b>	Please store the product under the recommended conditions in the Certificate of Analysis.



### BIOLOGICAL ACTIVITY

Description	R-(-)-Flecainide is an orally active antiarrhythmic agent, which inhibits ventricular ectopic activity <sup>[1]</sup> .	
In Vivo	R-(-)-Flecainide inhibits chloroform-induced fibrillation (9-20 mg/kg, po, single dose) in mice model with an ED <sub>50</sub> of 14.5 mg/kg, and inhibits ouabain induced arrhythmias (1-3 mg/kg, ) in mongrel dog model, without toxicity <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	
	Animal Model:	Chloroform-induced ventricular fibrillation in mice <sup>[1]</sup>
	Dosage:	9-20 mg/kg
	Administration:	po, single dose
	Result:	Prevented fibrillation.
	Animal Model:	Ouabain induced ventricular tachycardia in mongrel dog <sup>[1]</sup>
	Dosage:	1-3 mg/kg
	Administration:	iv, single dose
	Result:	Inhibited arrhythmias.

### REFERENCES

[1]. Banitt EH, et al., Resolution of flecainide acetate, N-(2-piperidylmethyl)-2,5-bis(2,2,2-trifluoroethoxy)benzamide acetate, and antiarrhythmic properties of the enantiomers. J Med Chem. 1986 Feb;29(2):299-302.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA