



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HC-Toxin

Cat. No.:	HY-126856
CAS No.:	83209-65-8
Molecular Formula:	C ₂₁ H ₃₂ N ₄ O ₆
Molecular Weight:	436.5
Target:	HDAC; Apoptosis
Pathway:	Cell Cycle/DNA Damage; Epigenetics; Apoptosis
Storage:	-20°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 10 mg/mL (22.91 mM)
* "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent		1 mg	5 mg	10 mg
	Concentration	Mass			
	1 mM		2.2910 mL	11.4548 mL	22.9095 mL
	5 mM		0.4582 mL	2.2910 mL	4.5819 mL
	10 mM		0.2291 mL	1.1455 mL	2.2910 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

HC-Toxin, a cyclic tetrapeptide, is a potent HDAC inhibitor with an IC₅₀ of 30 nM^[1]. HC-Toxin induces tumor cell apoptosis and has anticancer effects^[2].

In Vitro

HC-Toxin shows potent antiproliferative efficacy and cell cycle arrest at G2/M in T47D human breast cancer cells in a dose-dependent manner. HC-Toxin evokes apoptosis of T47D cells and HC-toxin induced apoptosis might not be mediated through direct increase in caspase-3/7 activity^[2].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

- [1]. S J Darkin-Rattray, et al. Apicidin: a novel antiprotozoal agent that inhibits parasite histone deacetylase. Proc Natl Acad Sci U S A. 1996 Nov 12;93(23):13143-7.
- [2]. Ki Eun Joung, et al. Antiproliferative effect of trichostatin A and HC-toxin in T47D human breast cancer cells. Arch Pharm Res. 2004 Jun;27(6):640-5.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA