



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NS 11021

Cat. No.:	HY-13103		
CAS No.:	956014-19-0		
Molecular Formula:	C ₁₆ H ₉ BrF ₆ N ₆ S		
Molecular Weight:	511.24		
Target:	Potassium Channel		
Pathway:	Membrane Transporter/Ion Channel		
Storage:	Powder	-20°C	3 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (195.60 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent	Mass	1 mg	5 mg	10 mg
		Concentration				
		1 mM		1.9560 mL	9.7801 mL	19.5603 mL
		5 mM		0.3912 mL	1.9560 mL	3.9121 mL
	10 mM		0.1956 mL	0.9780 mL	1.9560 mL	
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (4.07 mM); Clear solution 2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.08 mg/mL (4.07 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	NS 11021 is a potent and specific Ca ²⁺ -activated big-conductance K ⁺ Channels (KCa1.1 channels) activator. NS 11021 at concentrations above 0.3 μM activates KCa1.1 in a concentration-dependent manner by parallelshifting the channel activation curves to more negative potentials ^[1] .
IC₅₀ & Target	Ca ²⁺ -activated big-conductance K ⁺ Channels ^[1]
In Vitro	NS 11021 (1-30 μM) increases the current of hKCa1.1 from 2 μA to 4 μA at the concentration of 3 μM and can activate the hKCa1.1 expression channel in a dose-dependent manner in <i>X. laevis</i> oocytes ^[1] . ?NS 11021 (3 μM) increases hKCa1.1 current for channels by 171 % which repeatedly shifts between open and closed structures while increases the hKCa1.1 current by 187 % for channels kept in closed conformation in <i>X. laevis</i> oocytes ^[1] . ?NS 11021 (0-10 μM) can enhance hKCa1.1 currents in a concentration-dependent manner in monoclonal HEK293 cells

stably expressing hKCa1.1^[1].

?NS 11021 (5 or 50 μ M) has no effect on resting membrane potential (RMP), while significantly increasing action potential (AP) rise time in a dose-dependent manner in frogs gastrocnemius muscles. NS 11021 completely reverses the deleterious effects of hydrogen peroxide on the AP repolarization phase in skeletal muscle fibers^[2].

?NS 11021 (1 μ M) effectively attenuates mitoBK channel damage, mitochondrial respiratory dysfunction, depolarization, superoxide production and cell death induced by CS + RW (cold storage (18 h) and rewarming (2 h)) in rat kidney proximal tubular epithelial (NRK) cells^[3].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- J Cell Physiol. 2021 Aug;236(8):5818-5831.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Bo Hjorth Bentzen, et al. The small molecule NS11021 is a potent and specific activator of Ca²⁺-activated big-conductance K⁺ channels. Mol Pharmacol. 2007 Oct;72(4):1033-44

[2]. Cagil Coskun, et al. BK channel openers NS1619 and NS11021 reverse hydrogen peroxide-induced membrane potential changes in skeletal muscle. J Recept Signal Transduct Res. 2020 Oct;40(5):449-455.

[3]. Stephen Shrum, et al. Specific BK Channel Activator NS11021 Protects Rat Renal Proximal Tubular Cells from Cold Storage-Induced Mitochondrial Injury In Vitro. Biomolecules. 2019 Dec 4;9(12):825.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA