



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

JNK-IN-8 (GMP)

Cat. No.:	HY-13319G
CAS No.:	1410880-22-6
Molecular Formula:	C ₂₉ H ₂₉ N ₇ O ₂
Molecular Weight:	507.59
Target:	JNK
Pathway:	MAPK/ERK Pathway
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	JNK-IN-8 (JNK Inhibitor XVI) (GMP) is JNK-IN-8 (HY-13319) produced by using GMP guidelines. GMP small molecules work appropriately as an auxiliary reagent for cell therapy manufacture. JNK-IN-8 is a potent JNK inhibitor with IC ₅₀ s of 4.7 nM, 18.7 nM, and 1 nM for JNK1, JNK2, and JNK3, respectively ^[1] .
IC₅₀ & Target	IC ₅₀ : 4.7/18.7/1 nM (JNK1/2/3) ^[1]
In Vitro	JNK-IN-8 (GMP) (10 μM) reduces WNT3A-mediated neuronal differentiation ^[1] . JNK-IN-8 (GMP) (2 μM, 7 days) enhances the self-renewal of human hematopoietic stem cells (HSCs) through the downregulation of C-JUN phosphorylation ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Nat Nanotechnol. 2021 Jul;16(7):830-839.
- Mil Med Res. 2023 Jun 5;10(1):25.
- Nat Commun. 2020 Jan 3;11(1):71.
- Cell Death Differ. 2020 May;27(5):1569-1587.
- Dev Cell. 2021 Dec 20;56(24):3334-3348.e6.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Bengoa-Vergniory N, et al. A switch from canonical to noncanonical Wnt signaling mediates early differentiation of human neural stem cells. Stem Cells. 2014 Dec;32(12):3196-208.
- [2]. Xiao X, et al. Targeting JNK pathway promotes human hematopoietic stem cell expansion. Cell Discov. 2019 Jan 8;5:2.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA