



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ATAC21

Cat. No.:	HY-148459
CAS No.:	2101204-23-1
Molecular Formula:	C ₃₈ H ₅₀ N ₁₂ O ₂₁ P ₂
Molecular Weight:	1072.82
Target:	Drug-Linker Conjugates for ADC
Pathway:	Antibody-drug Conjugate/ADC Related
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	ATAC21, a linker-immune-stimulatory compound that can be formed by conjugating a noncleavable maleimide-PEG4 linker containing a succinimide group with an immune-stimulatory compound. ATAC21 can be combined with SBT-040 (anti-CD40 antibody) to form a conjugate ^[1] .
In Vitro	A recombinant bispecific antibody, comprises: a) a target antigen binding domain, wherein the target antigen binding domain specifically binds to a tumor associated antigen; b) an effector antigen binding domain, wherein the effector antigen binding domain specifically binds to an antigen on an antigen presenting cell and wherein the antigen is a molecule on the antigen presenting cell; c) an Fc comprising domain; and d) an immune-stimulatory compound attached to the recombinant bispecific antibody by a linker; wherein the recombinant bispecific antibody induces greater immune cell activation when the recombinant bispecific antibody is bound to the tumor associated antigen and to the antigen on the antigen presenting cell as compared to when the recombinant bispecific antibody is bound to the antigen on the antigen presenting cell but not to the tumor associated antigen ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Peter Armstrong Thompson, et al. Tumor targeting conjugates and methods of use thereof. WO2018140831A2.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA