



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## AB21 hydrochloride

Cat. No.:	HY-149854B
CAS No.:	3026677-24-4
Molecular Formula:	C <sub>23</sub> H <sub>29</sub> ClN <sub>2</sub> O
Molecular Weight:	384.94
Target:	Sigma Receptor
Pathway:	Neuronal Signaling
Storage:	4°C, sealed storage, away from moisture and light * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture and light)



### BIOLOGICAL ACTIVITY

<b>Description</b>	AB21 hydrochloride is a potent and selective S1R antagonist with K <sub>i</sub> s of 13, 102 nM for S1R and S2R. AB21 hydrochloride has the effect of reducing mechanical hypersensitivity <sup>[1]</sup> .								
<b>In Vitro</b>	AB21 hydrochloride shows K <sub>i</sub> s of 12 nM and 14 nM with or without Phenytoin in the S1R Radioligand Binding Assay <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.								
<b>In Vivo</b>	<p>AB21 hydrochloride (20 mg/kg, s.c., administered 30 min before the injection of Capsaicin (HY-10448)) reverses mechanical allodynia in Capsaicin (HY-B0448)-induced pain model, and exhibits higher potency than BD1063 dhydrochloride (HY-18101A)<sup>[1]</sup>.</p> <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p> <table border="1"> <tr> <td>Animal Model:</td> <td>Capsaicin-induced mechanical hypersensitivity model in mice<sup>[1]</sup>.</td> </tr> <tr> <td>Dosage:</td> <td>20 mg/kg</td> </tr> <tr> <td>Administration:</td> <td>Subcutaneous injection (s.c.); administered 30 min before the injection of capsaicin.</td> </tr> <tr> <td>Result:</td> <td>Result: Showed complete reversal of the mechanical hypersensitivity reaction and the dose administered was half that of BD-1063 (40 mg/kg).</td> </tr> </table>	Animal Model:	Capsaicin-induced mechanical hypersensitivity model in mice <sup>[1]</sup> .	Dosage:	20 mg/kg	Administration:	Subcutaneous injection (s.c.); administered 30 min before the injection of capsaicin.	Result:	Result: Showed complete reversal of the mechanical hypersensitivity reaction and the dose administered was half that of BD-1063 (40 mg/kg).
Animal Model:	Capsaicin-induced mechanical hypersensitivity model in mice <sup>[1]</sup> .								
Dosage:	20 mg/kg								
Administration:	Subcutaneous injection (s.c.); administered 30 min before the injection of capsaicin.								
Result:	Result: Showed complete reversal of the mechanical hypersensitivity reaction and the dose administered was half that of BD-1063 (40 mg/kg).								

### REFERENCES

[1]. Diciara M, et al. Synthesis, Computational Insights, and Evaluation of Novel Sigma Receptors Ligands. ACS Chem Neurosci. 2023 May 17;14(10):1845-1858.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA