



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HSD17B13-IN-3

Cat. No.:	HY-156736
CAS No.:	313259-88-0
Molecular Formula:	C ₂₂ H ₂₁ NO ₆ S ₂
Molecular Weight:	459.54
Target:	17β-HSD
Pathway:	Metabolic Enzyme/Protease
Storage:	4°C, sealed storage, away from moisture and light * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture and light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 260 mg/mL (565.78 mM; Need ultrasonic)																					
	<table border="1"> <thead> <tr> <th rowspan="2">Solvent</th> <th rowspan="2">Mass</th> <th colspan="3">Concentration</th> </tr> <tr> <th>1 mg</th> <th>5 mg</th> <th>10 mg</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Preparing Stock Solutions</td> <td>1 mM</td> <td>2.1761 mL</td> <td>10.8804 mL</td> <td>21.7609 mL</td> </tr> <tr> <td>5 mM</td> <td>0.4352 mL</td> <td>2.1761 mL</td> <td>4.3522 mL</td> </tr> <tr> <td>10 mM</td> <td>0.2176 mL</td> <td>1.0880 mL</td> <td>2.1761 mL</td> </tr> </tbody> </table>	Solvent	Mass	Concentration			1 mg	5 mg	10 mg	Preparing Stock Solutions	1 mM	2.1761 mL	10.8804 mL	21.7609 mL	5 mM	0.4352 mL	2.1761 mL	4.3522 mL	10 mM	0.2176 mL	1.0880 mL	2.1761 mL
Solvent	Mass			Concentration																		
		1 mg	5 mg	10 mg																		
Preparing Stock Solutions	1 mM	2.1761 mL	10.8804 mL	21.7609 mL																		
	5 mM	0.4352 mL	2.1761 mL	4.3522 mL																		
	10 mM	0.2176 mL	1.0880 mL	2.1761 mL																		
	Please refer to the solubility information to select the appropriate solvent.																					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 6.5 mg/mL (14.14 mM); Clear solution																					

BIOLOGICAL ACTIVITY

Description	HSD17B13-IN-3 (compound 2) is a potent hydroxysteroid 17β-dehydrogenase 13 (HSD17B13) inhibitor. HSD17B13-IN-3 does not have cell experimental activity ^[1] .
--------------------	--

REFERENCES

[1]. Liu S, et, al. Structural basis of lipid-droplet localization of 17-beta-hydroxysteroid dehydrogenase 13. Nat Commun. 2023 Aug 24;14(1):5158.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA