



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Penicillin V-¹³C₆ potassium

| | |
|---------------------------|---|
| Cat. No.: | HY-B0975S |
| Molecular Formula: | C ₁₀ ¹³ C ₆ H ₁₇ KN ₂ O ₅ S |
| Molecular Weight: | 394.44 |
| Target: | Bacterial; Antibiotic; Isotope-Labeled Compounds |
| Pathway: | Anti-infection; Others |
| Storage: | Please store the product under the recommended conditions in the Certificate of Analysis. |



BIOLOGICAL ACTIVITY

| | |
|--------------------|--|
| Description | Penicillin V- ¹³ C ₆ (potassium) is the ¹³ C ₆ labeled Penicillin V (potassium). Penicillin V Potassium (Phenoxymethylpenicillin potassium salt) is an orally active antibiotic. Penicillin V Potassium inhibits the growth of Streptococci, C. difficile and S. aureus. Penicillin V Potassium can be used for the research of otitis, sinusitis, pharyngitis and tonsillitis. |
| In Vitro | Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

REFERENCES

- [1]. Hermansson A, et, al. Prevention of experimental acute otitis media with penicillin V. Acta Otolaryngol. Jan-Feb 1990;109(1-2):119-23.
- [2]. Kamme C, et, al. In vitro effect on group A streptococci of loracarbef versus cefadroxil, cefaclor and penicillin V. Scand J Infect Dis. 1993;25(1):37-42.
- [3]. Norén T, et, al. In vitro susceptibility to 17 antimicrobials of clinical Clostridium difficile isolates collected in 1993-2007 in Sweden. Clin Microbiol Infect. 2010 Aug;16(8):1104-10.
- [4]. Overbosch D, et, al. Comparative pharmacodynamics and clinical pharmacokinetics of phenoxymethylpenicillin and pheneticillin. Br J Clin Pharmacol. 1985 May;19(5):657-68.
- [5]. Sabath LD. Et, al. Phenoxymethylpenicillin (penicillin V) and pheneticillin. Med Clin North Am. 1970 Sep;54(5):1101-11.
- [6]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA