



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Fusidic acid sodium salt

Cat. No.:	HY-B1350A
CAS No.:	751-94-0
Molecular Formula:	C ₃₁ H ₄₇ NaO ₆
Molecular Weight:	538.69
Target:	Bacterial; Antibiotic
Pathway:	Anti-infection
Storage:	4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)



SOLVENT & SOLUBILITY

In Vitro

H₂O : ≥ 100 mg/mL (185.64 mM)
 DMSO : ≥ 100 mg/mL (185.64 mM)
 * "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	1.8564 mL	9.2818 mL	18.5636 mL
	5 mM	0.3713 mL	1.8564 mL	3.7127 mL
	10 mM	0.1856 mL	0.9282 mL	1.8564 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: PBS
Solubility: 100 mg/mL (185.64 mM); Clear solution; Need ultrasonic
- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
Solubility: ≥ 2.5 mg/mL (4.64 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)
Solubility: ≥ 2.5 mg/mL (4.64 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil
Solubility: ≥ 2.5 mg/mL (4.64 mM); Clear solution

BIOLOGICAL ACTIVITY

Description

Fusidic acid sodium salt (Sodium fusidate), a bacteriostatic antibiotic produced from the *Fusidium coccineum* fungus, belongs to the class of steroids. Fusidic acid sodium salt has no corticosteroid effects. Fusidic acid sodium salt inhibits the growth of bacteria by preventing the release of translation elongation factor G (EF-G) from the ribosome^{[1][2]}.

CUSTOMER VALIDATION

- Adv Sci (Weinh). 2023 Jun 29;e2301753.
- Cell Rep Med. 2023 May 24;101061.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Curbete MM, et al. A Critical Review of the Properties of Fusidic Acid and Analytical Methods for Its Determination. Crit Rev Anal Chem. 2016;46(4):352-360.
- [2]. Payne AJ, et al. Fusidic acid is an effective treatment against Toxoplasma gondii and Listeria monocytogenes in vitro, but not in mice. Parasitol Res. 2013;112(11):3859-3863.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA