



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Imipramine-d₃ hydrochloride

Cat. No.:	HY-B1490S1
CAS No.:	112898-42-7
Molecular Formula:	C ₁₉ H ₂₂ D ₃ ClN ₂
Molecular Weight:	319.89
Target:	Serotonin Transporter; Autophagy; Apoptosis; Isotope-Labeled Compounds
Pathway:	Neuronal Signaling; Autophagy; Apoptosis; Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



HCl

BIOLOGICAL ACTIVITY

Description	Imipramine-d ₃ (hydrochloride) is deuterium labeled Imipramine (hydrochloride). Imipramine is an orally active tertiary amine tricyclic antidepressant. Imipramine is a Fascin1 inhibitor with antitumor activities. Imipramine also inhibits serotonin transporter with an IC ₅₀ value of 32 nM. Imipramine stimulates U-87MG glioma cells autophagy and induces HL-60 cell apoptosis. Imipramine shows neuroprotective and immunomodulatory effects[1][2][3][4][5][6].
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.
- [2]. Albuquerque-González B, et al. New role of the antidepressant imipramine as a Fascin1 inhibitor in colorectal cancer cells. *Exp Mol Med.* 2020 Feb;52(2):281-292.
- [3]. Ramirez K, et al. Imipramine attenuates neuroinflammatory signaling and reverses stress-induced social avoidance. *Brain Behav Immun.* 2015 May;46:212-20.
- [4]. Balkovetz DF, et al. Evidence for an imipramine-sensitive serotonin transporter in human placental brush-border membranes. *J Biol Chem.* 1989 Feb 5;264(4):2195-8.
- [5]. Xia Z, et al. The antidepressants imipramine, clomipramine, and citalopram induce apoptosis in human acute myeloid leukemia HL-60 cells via caspase-3 activation. *J Biochem Mol Toxicol.* 1999;13(6):338-47.
- [6]. Jeon SH, et al. The tricyclic antidepressant imipramine induces autophagic cell death in U-87MG glioma cells. *Biochem Biophys Res Commun.* 2011 Sep 23;413(2):311-7.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA