



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Metrizoic acid

Cat. No.:	HY-B1699		
CAS No.:	1949-45-7		
Molecular Formula:	C ₁₂ H ₁₁ I ₃ N ₂ O ₄		
Molecular Weight:	627.94		
Target:	Biochemical Assay Reagents		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : 31.25 mg/mL (49.77 mM; Need ultrasonic)

Concentration	Solvent	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	1.5925 mL	7.9625 mL	15.9251 mL
	5 mM	0.3185 mL	1.5925 mL	3.1850 mL
	10 mM	0.1593 mL	0.7963 mL	1.5925 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
Solubility: ≥ 2.08 mg/mL (3.31 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)
Solubility: ≥ 2.08 mg/mL (3.31 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil
Solubility: ≥ 2.08 mg/mL (3.31 mM); Clear solution

BIOLOGICAL ACTIVITY

Description

Metrizoic acid (Metrizoate) is an ionic contrast medium. Metrizoic acid (Metrizoate) shows high osmolality and has a risk of inducing allergic reactions^{[1][2][3]}.

REFERENCES

[1]. Vik-Mo H, et al. Hemodynamic and electrocardiographic consequences of high- and low-osmolality contrast agents for left ventricular angiography. Cathet Cardiovasc

Diagn. 1988;14(3):143-9.

[2]. Sortland O, et al. Iopentol in urography. A clinical comparison between iopentol and metrizoate including delayed reactions. Acta Radiol. 1992 Jul;33(4):368-73.

[3]. Holtås S, et al. Contrast enhanced brain CT. Comparison between iohexol and metrizoate. Neuroradiology. 1983;24(4):213-5.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA