



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Flufenoxuron

Cat. No.:	HY-B2009
CAS No.:	101463-69-8
Molecular Formula:	C ₂₁ H ₁₁ ClF ₆ N ₂ O ₃
Molecular Weight:	488.77
Target:	Others
Pathway:	Others
Storage:	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 250 mg/mL (511.49 mM; Need ultrasonic)				
	Preparing Stock Solutions	Concentration	1 mg	5 mg	10 mg
		1 mM	2.0460 mL	10.2298 mL	20.4595 mL
		5 mM	0.4092 mL	2.0460 mL	4.0919 mL
		10 mM	0.2046 mL	1.0230 mL	2.0460 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (4.26 mM); Clear solution				
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.08 mg/mL (4.26 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	Flufenoxuron is a chitin synthesis inhibitor that is used as a benzoylurea insecticide. Flufenoxuron decreases chitin synthesis, molting, and egg hatching, preventing development in insects ^[1] .
-------------	--

REFERENCES

[1]. Sunwoo Park, et al. Toxic Effects of Flufenoxuron on Development and Vascular Formation During Zebrafish Embryogenesis. Aquat Toxicol. 2019 Nov;216:105307.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA