



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DAF-FM DA

Cat. No.:	HY-D0717
CAS No.:	254109-22-3
Molecular Formula:	C ₂₅ H ₁₈ F ₂ N ₂ O ₇
Molecular Weight:	496.42
Target:	Fluorescent Dye
Pathway:	Others
Storage:	-20°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



BIOLOGICAL ACTIVITY

Description	DAF-FM DA (Diaminofluorescein-FM diacetate) is a fluorescent probe for the detection and bioimaging of nitric oxide (NO). DAF-FM DA spontaneously crosses the plasma membrane and is subsequently cleaved by esterases to generate intracellular DAF-FM (Ex/Em=495/515 nm) ^[1] .
In Vitro	The BCa cells are pre-incubated with 5 μM DAF-FM DA for 30 min to load the probe. Subsequently, the cells were incubated with fresh Hank's buffer for 20 min to complete de-esterification. The DAF-FM DA probe quantifies nitric oxide (NO) levels in cells ^[2] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	Using sections of zebrafish embryos live-stained with DAF-FM DA (5 μM), could confirm that the fluorescent signals were predominantly located in areas of ongoing bone formation ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Bioact Mater. 2022 Mar 17;18:91-103.
- Chem Eng J. 2023 Dec 2, 147850.
- Redox Biol. 2023 Dec, 68, 102952.
- Biochim Biophys Acta Mol Basis Dis. 2024 Mar 8:167110.
- Acs Biomater Sci Eng. 2023 Apr 11.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Zhi Xu, et al. RelB-activated GPX4 inhibits ferroptosis and confers tamoxifen resistance in breast cancer. Redox Biol. 2023 Dec;68:102952.
- [2]. Ann Huyssseune, et al. Bone Formation in Zebrafish: The Significance of DAF-FM DA Staining for Nitric Oxide Detection. Biomolecules. 2023 Dec 12;13(12):1780.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA