



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PIPES

Cat. No.:	HY-D0875		
CAS No.:	5625-37-6		
Molecular Formula:	C ₈ H ₁₈ N ₂ O ₆ S ₂		
Molecular Weight:	302.37		
Target:	Biochemical Assay Reagents		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	2 years
		-20°C	1 year



SOLVENT & SOLUBILITY

In Vitro	H ₂ O : 5 mg/mL (16.54 mM; ultrasonic and adjust pH to 7 with NaOH)			
		Solvent Concentration	Mass	
			1 mg	5 mg
			10 mg	
Preparing Stock Solutions	1 mM	3.3072 mL	16.5360 mL	33.0721 mL
	5 mM	0.6614 mL	3.3072 mL	6.6144 mL
	10 mM	0.3307 mL	1.6536 mL	3.3072 mL
Please refer to the solubility information to select the appropriate solvent.				
In Vivo	1. Add each solvent one by one: PBS Solubility: 2 mg/mL (6.61 mM); Clear solution; Need ultrasonic			

BIOLOGICAL ACTIVITY

Description	PIPES (1,4-Piperazinediethanesulfonic acid) is an important component of PIPES buffer agent used in biochemistry ^[1] .
In Vitro	To prepare the pH PIPES buffer, 173 g of 1,4-piperazinediethanesulfonic acid are dissolved into 1 L of deionized water. The pH of the PIPES buffer is adjusted to 6.8 by adding pellets of sodium hydroxide. PIPES can be used to PIPES buffer, it can prevent the glutaraldehyde fixation induced lipid loss and artifacts ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Jason Moggridge, et al. Sensitive Detection of Immunoglobulin G Stability Using in Real-Time Isothermal Differential Scanning Fluorimetry: Determinants of Protein

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA