



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Cy5-DBCO

Cat. No.:	HY-D1068
CAS No.:	1564286-24-3
Molecular Formula:	C ₅₂ H ₅₆ N ₄ O ₁₁ S ₃
Molecular Weight:	1009.22
Target:	Fluorescent Dye
Pathway:	Others
Storage:	-20°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro

DMSO : 62.5 mg/mL (61.93 mM; Need ultrasonic)
 H₂O : ≥ 10 mg/mL (9.91 mM)
 * "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
	1 mM		0.9909 mL	4.9543 mL	9.9086 mL
	5 mM		0.1982 mL	0.9909 mL	1.9817 mL
	10 mM		0.0991 mL	0.4954 mL	0.9909 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Cy5-DBCO (DBCO-Sulfo-Cy5) is a near-infrared (NIR) red fluorescent dye with λ_{abs} and λ_{em} of 646 nm and 670 nm, respectively. Cy5-DBCO (DBCO-Sulfo-Cy5) is not suitable for staining intracellular components of permeabilized cell, it may exhibit a high background. Cy5-DBCO is a click chemistry reagent, it contains a DBCO group that can undergo strain-promoted alkyne-azide cycloaddition (SPAAC) with molecules containing Azide groups.

IC₅₀ & Target

Red fluorescent dye

In Vitro

Cy5-DBCO (DBCO-Sulfo-Cy5) reacts with azides via a copper-free "click chemistry" reaction and forms a stable triazole and does not need Cu-catalyst or elevated temperatures.
 MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA