



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DiOC7(3)

Cat. No.:	HY-D1073
CAS No.:	53213-83-5
Molecular Formula:	C ₃₁ H ₄₁ IN ₂ O ₂
Molecular Weight:	600.57
Target:	Fluorescent Dye
Pathway:	Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	DiOC7(3) (3,3'-Diheptyloxycarbocyanine iodide) is a green membrane potential probe (Ex=450-490 nm, Em=510-520 nm). DiOC7(3) can be used to quantify the vascular densities ^[1] .
In Vivo	<p>Identification for tumour vasculature (frozen section):</p> <p>Guidelines (Following is our recommended protocol. This protocol only provides a guideline, and should be modified according to your specific needs)^[1].</p> <ol style="list-style-type: none"> 1. The dye is administered to murine via lateral tail vein injection at a dose of 1 mg/kg/ in 50 µL volume. 2. Animals are killed 5 min after dye administration, and tumors are immediately excised and frozen at - 20°C. 3. Frozen sections 10 µm in thickness are rewarmed to room temperature, allowed to air dry. 4. Image using a microscope with 100W mercury lamp illumination and an epifluorescence condenser (excited at 430-490 nm, emitted at 510-520 nm). <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p>

REFERENCES

[1]. M J Trotter, et al. Use of a carbocyanine dye as a marker of functional vasculature in murine tumours. Br J Cancer. 1989 May;59(5):706-9.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA