



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

L-DOPA-¹³C

Cat. No.:	HY-N0304S2
CAS No.:	586971-29-1
Molecular Formula:	C ₈ ¹³ CH ₁₁ NO ₄
Molecular Weight:	198.18
Target:	Dopamine Receptor; Endogenous Metabolite
Pathway:	GPCR/G Protein; Neuronal Signaling; Metabolic Enzyme/Protease
Storage:	4°C, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro

0.1 M HCL : 20 mg/mL (100.92 mM); ultrasonic and warming and adjust pH to pH to 2 with HCl)

Concentration	Mass			
	1 mg	5 mg	10 mg	
1 mM	5.0459 mL	25.2296 mL	50.4592 mL	
5 mM	1.0092 mL	5.0459 mL	10.0918 mL	
10 mM	0.5046 mL	2.5230 mL	5.0459 mL	

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

L-DOPA-¹³C is the ¹³C labeled L-DOPA[1]. L-DOPA (Levodopa) is an orally active metabolic precursor of neurotransmitters dopamine. L-DOPA can cross the blood-brain barrier and is converted into dopamine in the brain. L-DOPA has anti-allodynic effects and the potential for Parkinson's disease[2][3][4].

In Vitro

Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs^[1].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Cell Rep Med. 2023 May 24;101061.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019 Feb;53(2):211-216.
 - [2]. Hyland K, et al. Aromatic L-amino acid decarboxylase deficiency: diagnostic methodology. *Clin Chem*. 1992 Dec;38(12):2405-10.
 - [3]. Merims D, et al. Dopamine dysregulation syndrome, addiction and behavioral changes in Parkinson's disease. *Parkinsonism Relat Disord*. 200814(4):273-80. Epub 2007 Nov 7.
 - [4]. Perez-Pardo P, et al. Additive Effects of Levodopa and a Neurorestorative Diet in a Mouse Model of Parkinson's Disease. *Front Aging Neurosci*. 2018 Aug 310:237.
 - [5]. Park HJ, et al. Anti-allodynic effects of levodopa in neuropathic rats. *Yonsei Med J*. 2013 Mar 154(2):330-5.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA