



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Genipin 1-β-D-gentiobioside

<b>Cat. No.:</b>	HY-N2094
<b>CAS No.:</b>	29307-60-6
<b>Molecular Formula:</b>	C <sub>23</sub> H <sub>34</sub> O <sub>15</sub>
<b>Molecular Weight:</b>	550.51
<b>Target:</b>	Others
<b>Pathway:</b>	Others
<b>Storage:</b>	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



### SOLVENT & SOLUBILITY

#### In Vitro

Ethanol : 125 mg/mL (227.06 mM; Need ultrasonic)  
DMSO : 100 mg/mL (181.65 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	1.8165 mL	9.0825 mL	18.1650 mL
	5 mM	0.3633 mL	1.8165 mL	3.6330 mL
	10 mM	0.1816 mL	0.9082 mL	1.8165 mL

Please refer to the solubility information to select the appropriate solvent.

#### In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline  
Solubility: ≥ 2.5 mg/mL (4.54 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)  
Solubility: ≥ 2.5 mg/mL (4.54 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil  
Solubility: ≥ 2.5 mg/mL (4.54 mM); Clear solution

### BIOLOGICAL ACTIVITY

#### Description

Genipin 1-β-D-gentiobioside (Genipin 1-gentiobioside) is one of the most abundant and bioactive iridoid glycosides in *Gardenia jasminoides* Ellis, which possesses hepatoprotective, anti-inflammatory, antioxidant, and antithrombotic activities.

#### In Vivo

Genipin 1-β-D-gentiobioside (Genipin gentiobioside) has moderate terminal elimination half-life ( $t_{1/2}$ =1.65±0.87 h and 2.43±2.30 h for normal rats (11.4 mg/kg) and cholestatic liver injury (CLI) rats (11.4 mg/kg), respectively)<sup>[1]</sup>. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

---

## PROTOCOL

### Animal Administration <sup>[1]</sup>

#### Rats<sup>[1]</sup>

Twelve male rats are divided randomly into normal and acute cholestatic liver injury (CLI) group, with 6 rats in each. The rats are kept in an air-conditioned environment at a temperature of 22-24°C and a relative humidity of 50±10%, with access to the standard laboratory food and water. After fasted for 12 h, the rats are given Zhi-Zi-Da-Huang decoction (ZZDHD) at a dose of 8 g/kg (crude drug/body weight, equivalent to 35.9 mg/kg geniposide, 11.4 mg/kg Genipin 1-β-D-gentiobioside, 2.50 mg/kg Rhein, 0.23 mg/kg Emodin, 11.2 mg/kg Isonaringin, 83.5 mg/kg Naringin, 12.4 mg/kg Hesperidin and 79.6 mg/kg Neohesperidin) by oral administration. Blood samples (approximately 0.3 mL) are collected from the fosse orbital vein using heparinized 1.5 mL polythene tubes before the dose and at 0.08, 0.17, 0.33, 0.67, 1, 1.5, 2, 3, 4, 6, 8, 10, 12, 24, 36 and 48 h after dosing, and then centrifuged immediately at 13,000 rpm for 5 min. Plasma is transferred into clean tubes and stored at -80°C until analysis<sup>[1]</sup>.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

---

## REFERENCES

[1]. Zhu H, et al. Simultaneous determination of two iridoid glycosides, two anthraquinones and four flavonoid glycosides of Zhi-Zi-Da-Huang decoction in rat plasma by UFLC-MS/MS: application to a comparative pharmacokinetic study in normal and cholestatic liver injury rats. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2014 Jun 1;960:116-25.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA