



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Flavanomarein

Cat. No.:	HY-N7675
CAS No.:	577-38-8
Molecular Formula:	C ₂₁ H ₂₂ O ₁₁
Molecular Weight:	450.39
Target:	Others
Pathway:	Others
Storage:	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 33.33 mg/mL (74.00 mM); ultrasonic and warming and heat to 60°C				
		Solvent Concentration	Mass 1 mg	5 mg	10 mg
	Preparing Stock Solutions	1 mM	2.2203 mL	11.1015 mL	22.2030 mL
		5 mM	0.4441 mL	2.2203 mL	4.4406 mL
		10 mM	0.2220 mL	1.1101 mL	2.2203 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (5.55 mM); Clear solution				
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (5.55 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	Flavanomarein is a predominant flavonoid of <i>Coreopsis tinctoria</i> Nutt with protective effects against diabetic nephropathy. Flavanomarein has good antioxidative, antidiabetic, antihypertensive and anti-hyperlipidemic activities ^{[1][2]} .
-------------	---

REFERENCES

- [1]. Nan-Nan Zhang, et al. Flavanomarein inhibits high glucose-stimulated epithelial-mesenchymal transition in HK-2 cells via targeting spleen tyrosine kinase. *Sci Rep.* 2020 Jan 16;10(1):439.
- [2]. Liang Le, et al. The protective effects of the native flavanone flavanomarein on neuronal cells damaged by 6-OHDA. *Phytomedicine.* 2019 Feb;53:193-204.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA