



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Leucosceptoside A

Cat. No.:	HY-N8018
CAS No.:	83529-62-8
Molecular Formula:	C ₃₀ H ₃₈ O ₁₅
Molecular Weight:	638.61
Target:	PKC; Glucosidase; Angiotensin-converting Enzyme (ACE)
Pathway:	Epigenetics; TGF-beta/Smad; Metabolic Enzyme/Protease
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	Leucosceptoside A is a phenylethanoid glycoside with anti-hyperglycemic and anti-hypertensive activities. Leucosceptoside A shows inhibitory activity against α -glucosidase and PKC α (IC ₅₀ of 19.0 μ M) ^{[1][2][3]} .
IC₅₀ & Target	PKC α 19 μ M (IC ₅₀)
In Vitro	Leucosceptoside A shows weak angiotensin converting enzyme (ACE) inhibitory effect ^[1] . Leucosceptoside A (4-16 μ M) significantly reduces 1-methyl-4-phenylpyridinium ion (MPP+)-induced death of mesencephalic neurons ^[2] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

- [1]. Chika Ifeanyi Chukwuma, et al. Medicinal plants with concomitant anti-diabetic and anti-hypertensive effects as potential sources of dual acting therapies against diabetes and hypertension: A review. *J Ethnopharmacol.* 2019 May 10;235:329-360.
- [2]. Yan-Yun Li, et al. Pedicularioside A from *Buddleia lindleyana* inhibits cell death induced by 1-methyl-4-phenylpyridinium ions (MPP+) in primary cultures of rat mesencephalic neurons. *Eur J Pharmacol.* 2008 Jan 28;579(1-3):134-40.
- [3]. B N Zhou, et al. Phenylethanoid glycosides from *Digitalis purpurea* and *Penstemon linarioides* with PKC α -inhibitory activity. *J Nat Prod.* 1998 Nov;61(11):1410-2.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA