



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Hexokinase II VDAC binding domain peptide, cell-permeable

Cat. No.:	HY-P10108
Molecular Formula:	C ₁₈₈ H ₂₉₁ N ₅₃ O ₄₀ S ₂
Molecular Weight:	3997.78
Sequence:	Arg-Gln-Ile-Lys-Ile-Trp-Phe-Gln-Asn-Arg-Arg-Met-Lys-Trp-Lys-Lys-Met-Ile-Ala-Ser-His-Leu-Leu-Ala-Tyr-Phe-Phe-Thr-Glu-Leu-Asn-NH ₂
Sequence Shortening:	RQIKIWFQNRMRMKWKKMIASHLLAYFFTELN-NH ₂
Target:	Hexokinase
Pathway:	Metabolic Enzyme/Protease
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.

BIOLOGICAL ACTIVITY

Description

Hexokinase II VDAC binding domain peptide (Hxk2VBD peptide) is a cell-permeable hexokinase II VDAC binding domain. Hexokinase II VDAC binding domain peptide inhibits mitochondrial localization of hexokinase 2 (HXK2). Hexokinase II VDAC binding domain peptide inhibits neurotrophic factor-directed axon outgrowth^[1].

REFERENCES

[1]. Sun J, et al. aFGF alleviates diabetic endothelial dysfunction by decreasing oxidative stress via Wnt/ β -catenin-mediated upregulation of HXK2. *Redox Biol.* 2021 Feb;39:101811.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA