



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

st-Ht31

| | |
|-----------------------------|--|
| Cat. No.: | HY-P2624 |
| CAS No.: | 188425-80-1 |
| Molecular Formula: | C ₁₂₉ H ₂₁₇ N ₂₉ O ₃₉ |
| Molecular Weight: | 2798.32 |
| Sequence: | {N-Stearate}-Asp-Leu-Ile-Glu-Glu-Ala-Ala-Ser-Arg-Ile-Val-Asp-Ala-Val-Ile-Glu-Gln-Val-Lys-Ala-Ala-Gly-Ala-Tyr |
| Sequence Shortening: | {N-Stearate}-DLIEEAASRIVDAVIEQVKAAGAY |
| Target: | PAK |
| Pathway: | Cell Cycle/DNA Damage; Cytoskeleton |
| Storage: | Please store the product under the recommended conditions in the Certificate of Analysis. |

BIOLOGICAL ACTIVITY

| | | | | | | | | | |
|--------------------|--|------------|---------------|----------------|-------|------------------|--------|---------|---|
| Description | st-Ht31 is a membrane-permeable peptide inhibitor of protein kinase A (PKA) anchoring. st-Ht31 induces robust cholesterol/phospholipid efflux. st-Ht31 completely reverses foam cell formation and restores the metabolic health of macrophage ^{[1][2]} . | | | | | | | | |
| In Vitro | <p>st-Ht31 (5 μM; 2 h) enhances cholesterol/phospholipid efflux in BHK cells and RAW macrophages^[1]. st-Ht31 (10 μM; 24 h) reverses foam cell formation and restores metabolic health of macrophage^[1]. st-Ht31 (20 μM; 20 min) abolishes the cAMP inhibition of PMA-induced ERK1/2 activation in HEK293T cells^[2]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p> <p>Western Blot Analysis^[2]</p> <table border="1"> <tr> <td>Cell Line:</td> <td>HEK293T cells</td> </tr> <tr> <td>Concentration:</td> <td>20 μM</td> </tr> <tr> <td>Incubation Time:</td> <td>20 min</td> </tr> <tr> <td>Result:</td> <td>Abolished the cAMP inhibition of PMA-induced ERK1/2 activation.</td> </tr> </table> | Cell Line: | HEK293T cells | Concentration: | 20 μM | Incubation Time: | 20 min | Result: | Abolished the cAMP inhibition of PMA-induced ERK1/2 activation. |
| Cell Line: | HEK293T cells | | | | | | | | |
| Concentration: | 20 μM | | | | | | | | |
| Incubation Time: | 20 min | | | | | | | | |
| Result: | Abolished the cAMP inhibition of PMA-induced ERK1/2 activation. | | | | | | | | |

REFERENCES

[1]. Ma L, et al. Ht31, a protein kinase A anchoring inhibitor, induces robust cholesterol efflux and reverses macrophage foam cell formation through ATP-binding cassette transporter A1. *J Biol Chem.* 2011 Feb 4;286(5):3370-8.

[2]. Rahamim Ben-Navi L, et al. A-Kinase Anchoring Protein 4 (AKAP4) is an ERK1/2 substrate and a switch molecule between cAMP/PKA and PKC/ERK1/2 in human spermatozoa. *Sci Rep.* 2016 Nov 30;6:37922.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA