



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Suc-Ala-Glu-Pro-Phe-pNA

Cat. No.:	HY-P4202
CAS No.:	128802-76-6
Molecular Formula:	C ₃₂ H ₃₈ N ₆ O ₁₁
Molecular Weight:	682.68
Sequence:	{Suc}-Ala-Glu-Pro-Phe-{pNA}
Sequence Shortening:	{Suc}-AEPF-{pNA}
Target:	Biochemical Assay Reagents
Pathway:	Others
Storage:	Sealed storage, away from moisture and light
	Powder -80°C 2 years
	-20°C 1 year



* In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture and light)

SOLVENT & SOLUBILITY

In Vitro

DMSO : 125 mg/mL (183.10 mM; Need ultrasonic)

Concentration	Mass		
	1 mg	5 mg	10 mg
1 mM	1.4648 mL	7.3241 mL	14.6482 mL
5 mM	0.2930 mL	1.4648 mL	2.9296 mL
10 mM	0.1465 mL	0.7324 mL	1.4648 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Suc-Ala-Glu-Pro-Phe-pNA (Suc-AEPF-pNA) is a chromogenic substrate for the peptidylprolyl isomerase Pin1. Suc-Ala-Glu-Pro-Phe-pNA can be used to evaluate the inhibitory effect of the target compound on Pin1, and catalytic activity of Pin1, etc [1][2].

REFERENCES

- [1]. Subedi A, et al. Discovery of novel selenium derivatives as Pin1 inhibitors by high-throughput screening. *Biochem Biophys Res Commun.* 2016 Jun 3;474(3):528-533.
- [2]. Liu C, et al. Imazamethabenz inhibits human breast cancer cell proliferation, migration and invasion via combination with Pin1. *Mol Med Rep.* 2017 May;15(5):3210-3214.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA