



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## KLTWQELYQLKYKGI

**Cat. No.:** HY-P5558  
**CAS No.:** 917760-16-8  
**Molecular Formula:** C<sub>92</sub>H<sub>143</sub>N<sub>21</sub>O<sub>23</sub>  
**Molecular Weight:** 1911.25  
**Sequence:** Lys-Leu-Thr-Trp-Gln-Glu-Leu-Tyr-Gln-Leu-Lys-Tyr-Lys-Gly-Ile  
**Sequence Shortening:** KLTWQELYQLKYKGI  
**Target:** VEGFR  
**Pathway:** Protein Tyrosine Kinase/RTK  
**Storage:** Sealed storage, away from moisture



Powder    -80°C    2 years  
              -20°C    1 year

\* In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)

### SOLVENT & SOLUBILITY

#### In Vitro

DMSO : 100 mg/mL (52.32 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
	1 mM		0.5232 mL	2.6161 mL	5.2322 mL
	5 mM		0.1046 mL	0.5232 mL	1.0464 mL
	10 mM		0.0523 mL	0.2616 mL	0.5232 mL

Please refer to the solubility information to select the appropriate solvent.

### BIOLOGICAL ACTIVITY

#### Description

KLTWQELYQLKYKGI (QK) is a VEGF mimicking peptide, binds to the VEGF receptors and competes with VEGF. KLTWQELYQLKYKGI is active in gastric ulcer healing in rodents when administered either orally or systemically. KLTWQELYQLKYKGI shows the ability to induce capillary formation and organization in vitro<sup>[1]</sup>.

### REFERENCES

[1]. Gaetano Santulli, et al. In vivo properties of the proangiogenic peptide QK. J Transl Med. 2009 Jun 8:7:41.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA