



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PKCθ pseudosubstrate peptide inhibitor, myristoylated TFA

Cat. No.:	HY-P5884A	
Molecular Formula:	C ₁₀₅ H ₁₈₄ N ₃₆ O ₂₁ S.xC ₂ HF ₃ O ₂	
Sequence:	{Myr}-Leu-His-Gln-Arg-Arg-Gly-Ala-Ile-Lys-Gln-Ala-Lys-Val-His-His-Val-Lys-Cys-NH ₂	
Sequence Shortening:	{Myr}-LHQRRGAIKQAKVHHVKC-NH ₂	{Myr}-Leu-His-Gln-Arg-Arg-Gly-Ala-Ile-Lys-Gln-Ala-Lys-Val-His-His-Val-Lys-Cys-NH ₂ (TFA salt)
Target:	PKC	
Pathway:	Epigenetics; TGF-beta/Smad	
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.	

SOLVENT & SOLUBILITY

In Vitro H₂O : 100 mg/mL (Need ultrasonic)

BIOLOGICAL ACTIVITY

Description PKCθ pseudosubstrate peptide inhibitor, myristoylated TFA is a synthetic peptide that can be used to study the mechanism of action of PKCθ^[1].

REFERENCES

[1]. Koon HW, et al. Substance P-stimulated interleukin-8 expression in human colonic epithelial cells involves protein kinase Cdelta activation. J Pharmacol Exp Ther. 2005 Sep;314(3):1393-400.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA