



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Bococizumab

Cat. No.:	HY-P99187
CAS No.:	1407495-02-6
Target:	Ser/Thr Protease
Pathway:	Metabolic Enzyme/Protease
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.

BIOLOGICAL ACTIVITY

Description	Bococizumab (PF-04950615) is an anti-human PCSK9 inhibitory antibody that reduces LDL cholesterol levels. Bococizumab can be used in the research of hypercholesterolemia ^{[1][2]} .	
IC₅₀ & Target	PCSK9 ^[1]	
In Vivo	Bococizumab (0-100 mg/kg, i.v.) decreases maternal and fetal cholesterol and does not affect rat embryo-fetal development [2]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.	
	Animal Model:	Pregnant Sprague-Dawley (SD) rats ^[1]
	Dosage:	0, 10, 30, and 100 mg/kg
	Administration:	Intravenous injection (i.v.)
	Result:	Decreased in fetal cholesterol levels. Showed well tolerance and no effects on ovarian or uterine parameters.

REFERENCES

[1]. Koutaro Yokote, et al. Efficacy and Safety of Bococizumab (RN316/PF-04950615), a Monoclonal Antibody Against Proprotein Convertase Subtilisin/Kexin Type 9, in Hypercholesterolemic Japanese Subjects Receiving a Stable Dose of Atorvastatin or Treatment-Naive - Results From a Randomized, Placebo-Controlled, Dose-Ranging Study. *Circ J.* 2017 Sep 25;81(10):1496-1505.

[2]. Sarah N Champion, et al. Decreased maternal and fetal cholesterol following maternal bococizumab (anti-PCSK9 monoclonal antibody) administration does not affect rat embryo-fetal development. *Regul Toxicol Pharmacol.* 2015 Nov;73(2):562-70.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA