



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Landogrozumab

Cat. No.:	HY-P99370
CAS No.:	1391726-30-9
Target:	Others
Pathway:	Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.

BIOLOGICAL ACTIVITY

Description	Landogrozumab (LY2495655) is an humanized anti-myostatin monoclonal antibody. Landogrozumab effectively improves muscle volume, hand grip strength and function. Landogrozumab can be used for the research of muscle wasting disease ^[1] .								
In Vivo	<p>Landogrozumab (3 and 15 mg/kg; i.v. once) affects muscle mass of aged mice with duchenne muscular dystrophy^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Animal Model:</td> <td>Duchenne muscular dystrophy (DMD) C57BL/10-mdx mouse model^[1]</td> </tr> <tr> <td>Dosage:</td> <td>3 and 50 mg/kg</td> </tr> <tr> <td>Administration:</td> <td>Intravenous injection; 3 and 50 mg/kg once</td> </tr> <tr> <td>Result:</td> <td>Increasesd muscle mass of aged mice at a dose of 50 mg/kg while 3 mg/kg showed no significant effects.</td> </tr> </table>	Animal Model:	Duchenne muscular dystrophy (DMD) C57BL/10-mdx mouse model ^[1]	Dosage:	3 and 50 mg/kg	Administration:	Intravenous injection; 3 and 50 mg/kg once	Result:	Increasesd muscle mass of aged mice at a dose of 50 mg/kg while 3 mg/kg showed no significant effects.
Animal Model:	Duchenne muscular dystrophy (DMD) C57BL/10-mdx mouse model ^[1]								
Dosage:	3 and 50 mg/kg								
Administration:	Intravenous injection; 3 and 50 mg/kg once								
Result:	Increasesd muscle mass of aged mice at a dose of 50 mg/kg while 3 mg/kg showed no significant effects.								

REFERENCES

[1]. Muramatsu H, et al. Novel myostatin-specific antibody enhances muscle strength in muscle disease models. Sci Rep. 2021 Jan 25;11(1):2160.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA