



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## beta-D-Ribofuranose 1,2,3,5-tetraacetate

Cat. No.:	HY-W018334		
CAS No.:	13035-61-5		
Molecular Formula:	C <sub>13</sub> H <sub>18</sub> O <sub>9</sub>		
Molecular Weight:	318.28		
Target:	Biochemical Assay Reagents		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



### SOLVENT & SOLUBILITY

#### In Vitro

DMSO : 50 mg/mL (157.09 mM; Need ultrasonic)

Concentration	Solvent	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	3.1419 mL	15.7094 mL	31.4189 mL
	5 mM	0.6284 mL	3.1419 mL	6.2838 mL
	10 mM	0.3142 mL	1.5709 mL	3.1419 mL

Please refer to the solubility information to select the appropriate solvent.

### BIOLOGICAL ACTIVITY

#### Description

Beta-D-Ribofuranose 1,2,3,5-tetraacetate is a biochemical reagent that can be used as a biological material or organic compound for life science related research.

#### In Vitro

β-D-Ribofuranose 1,2,3,4-tetraacetate is a precursor in the synthesis of nucleotides with antiproliferative activity against cancer cells.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

### REFERENCES

[1]. Furukawa, Y., and Honjo, MA novel method for the synthesis of purine nucleotides using Friedel-Crafts catalysts Chem. Pharm. Bull. (Tokyo) 16(6) 1076-1080(1968).

[2]. Wicke, L., Engels, JW, Gambari, R., et al. Synthesis and antiproliferative activity of quinolone nucleotides against the human myelogenous leukemia k-562 cell line Arch. Pharm. (Weinheim) 346(10)757-765(2013).

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA