



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Hydroxychloroquine-d₄-1 sulfate

| | |
|---------------------------|--|
| Cat. No.: | HY-W031727S |
| CAS No.: | 1216432-56-2 |
| Molecular Formula: | C ₁₈ H ₂₄ D ₄ ClN ₃ O ₅ S |
| Molecular Weight: | 437.97 |
| Target: | Autophagy; SARS-CoV; Toll-like Receptor (TLR); Parasite; Isotope-Labeled Compounds |
| Pathway: | Autophagy; Anti-infection; Immunology/Inflammation; Others |
| Storage: | 4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture) |



BIOLOGICAL ACTIVITY

| | |
|-------------------------------------|--|
| Description | Hydroxychloroquine-d ₄ -1 (sulfate) is the deuterium labeled Hydroxychloroquine. Hydroxychloroquine is a synthetic antimalarial agent which can also inhibit Toll-like receptor 7/9 (TLR7/9) signaling. Hydroxychloroquine is efficiently inhibits SARS-CoV-2 infection in vitro[1][2][3]. |
| IC₅₀ & Target | Plasmodium |
| In Vitro | Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

REFERENCES

- [1]. Persoons L, et al. Broad spectrum anti-coronavirus activity of a series of anti-malaria quinoline analogues. *Antiviral Res.* 2021;193:105127.
- [2]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.
- [3]. Manzo C, et al. Psychomotor Agitation Following Treatment with Hydroxychloroquine. *Drug Saf Case Rep.* 2017 Dec;4(1):6.
- [4]. Lamphier M, et al. Novel small molecule inhibitors of TLR7 and TLR9: mechanism of action and efficacy in vivo. *Mol Pharmacol.* 2014 Mar;85(3):429-40.
- [5]. Yao X, et al. In Vitro Antiviral Activity and Projection of Optimized Dosing Design of Hydroxychloroquine for the Treatment of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2). *Clin Infect Dis.* 2020 Mar 9. pii: ciaa237.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA