



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## S-Allyl-D-cysteine

|                           |  |
|---------------------------|--|
| <b>Cat. No.:</b>          | HY-W048286   |
| <b>CAS No.:</b>           | 770742-93-3  |
| <b>Molecular Formula:</b> | C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> S   |
| <b>Molecular Weight:</b>  | 161.22   |
| <b>Target:</b>            | Amino Acid Derivatives   |
| <b>Pathway:</b>           | Others   |
| <b>Storage:</b>           | 4°C, stored under nitrogen<br>* In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen) |



### SOLVENT & SOLUBILITY

#### In Vitro

H<sub>2</sub>O : 100 mg/mL (620.27 mM; Need ultrasonic)

| Concentration | Mass      |            |            |  |
|---------------|-----------|------------|------------|--|
|               | 1 mg      | 5 mg       | 10 mg      |  |
| 1 mM          | 6.2027 mL | 31.0135 mL | 62.0270 mL |  |
| 5 mM          | 1.2405 mL | 6.2027 mL  | 12.4054 mL |  |
| 10 mM         | 0.6203 mL | 3.1014 mL  | 6.2027 mL  |  |

Please refer to the solubility information to select the appropriate solvent.

### BIOLOGICAL ACTIVITY

#### Description

S-Allyl-D-cysteine is a cysteine derivative<sup>[1]</sup>.

#### In Vitro

Amino acids and amino acid derivatives have been commercially used as ergogenic supplements. They influence the secretion of anabolic hormones, supply of fuel during exercise, mental performance during stress related tasks and prevent exercise induced muscle damage. They are recognized to be beneficial as ergogenic dietary substances<sup>[1]</sup>.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

### REFERENCES

[1]. Luckose F, et al. Effects of amino acid derivatives on physical, mental, and physiological activities. Crit Rev Food Sci Nutr. 2015;55(13):1793-807.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA