



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Phenylacetylglutamine-d<sub>5</sub>

<b>Cat. No.:</b>	HY-W050026S	
<b>CAS No.:</b>	1331909-01-3	
<b>Molecular Formula:</b>	C <sub>13</sub> H <sub>11</sub> D <sub>5</sub> N <sub>2</sub> O <sub>4</sub>	
<b>Molecular Weight:</b>	269.31	
<b>Target:</b>	Endogenous Metabolite; Isotope-Labeled Compounds	
<b>Pathway:</b>	Metabolic Enzyme/Protease; Others	
<b>Storage:</b>	Powder	-20°C 3 years 4°C 2 years
	In solvent	-80°C 6 months -20°C 1 month



### SOLVENT & SOLUBILITY

#### In Vitro

DMSO : ≥ 50 mg/mL (185.66 mM)  
\* "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	3.7132 mL	18.5660 mL	37.1319 mL
	5 mM	0.7426 mL	3.7132 mL	7.4264 mL
	10 mM	0.3713 mL	1.8566 mL	3.7132 mL

Please refer to the solubility information to select the appropriate solvent.

#### In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline  
Solubility: ≥ 1.25 mg/mL (4.64 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)  
Solubility: ≥ 1.25 mg/mL (4.64 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil  
Solubility: ≥ 1.25 mg/mL (4.64 mM); Clear solution

### BIOLOGICAL ACTIVITY

#### Description

Phenylacetylglutamine-d<sub>5</sub> is the deuterium labeled Phenylacetylglutamine. Phenylacetylglutamine is a colonic microbial metabolite from amino acid fermentation[1].

### CUSTOMER VALIDATION

- 
- ESC Heart Fail. 2022 May 27.

See more customer validations on [www.MedChemExpress.com](http://www.MedChemExpress.com)

## REFERENCES

---

[1]. Poesen R, et al. Microbiota-Derived Phenylacetylglutamine Associates with Overall Mortality and Cardiovascular Disease in Patients with CKD. J Am Soc Nephrol. 2016 Nov;27(11):3479-3487.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA