



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Ethephon

Cat. No.:	HY-W131845
CAS No.:	16672-87-0
Molecular Formula:	C ₂ H ₆ ClO ₃ P
Molecular Weight:	144.49
Target:	Others
Pathway:	Others
Storage:	4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (692.09 mM; Need ultrasonic)					
	H ₂ O : 100 mg/mL (692.09 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent	Mass	1 mg	5 mg	10 mg
		Concentration				
		1 mM		6.9209 mL	34.6045 mL	69.2089 mL
5 mM			1.3842 mL	6.9209 mL	13.8418 mL	
10 mM		0.6921 mL	3.4604 mL	6.9209 mL		
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (17.30 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (17.30 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	Ethephon is a plant growth regulator ^[1] .
In Vitro	Ethephon (50 μM) enhances both root growth and ginsenoside accumulation in ginseng (Panax ginseng C.A. Meyer) adventitious root cultures, but at 100 μM it inhibits only ginsenoside accumulation ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Bae KH, et al. Enhanced ginsenoside productivity by combination of ethephon and methyl jasmoante in ginseng (*Panax ginseng* C.A. Meyer) adventitious root cultures. *Biotechnol Lett.* 2006 Aug;28(15):1163-6.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA