



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Farnesol

Cat. No.:	HY-Y0248A
CAS No.:	4602-84-0
Molecular Formula:	C <sub>15</sub> H <sub>26</sub> O
Molecular Weight:	222.37
Target:	Endogenous Metabolite; Bacterial; Antibiotic
Pathway:	Metabolic Enzyme/Protease; Anti-infection
Storage:	4°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



### SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (449.70 mM; Need ultrasonic)				
		Solvent Concentration	Mass		
	Preparing Stock Solutions		1 mg	5 mg	10 mg
		1 mM	4.4970 mL	22.4850 mL	44.9701 mL
		5 mM	0.8994 mL	4.4970 mL	8.9940 mL
	10 mM	0.4497 mL	2.2485 mL	4.4970 mL	
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	<ol style="list-style-type: none"> <li>Add each solvent one by one: 10% DMSO &gt;&gt; 40% PEG300 &gt;&gt; 5% Tween-80 &gt;&gt; 45% saline Solubility: ≥ 2.5 mg/mL (11.24 mM); Clear solution</li> <li>Add each solvent one by one: 10% DMSO &gt;&gt; 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (11.24 mM); Clear solution</li> <li>Add each solvent one by one: 10% DMSO &gt;&gt; 90% corn oil Solubility: ≥ 2.5 mg/mL (11.24 mM); Clear solution</li> </ol>				

### BIOLOGICAL ACTIVITY

Description	Farnesol is a sesquiterpene alcohol that modulates cell-to-cell communication in <i>Candida albicans</i> , and has the activity in inhibiting bacteria.
IC <sub>50</sub> & Target	Human Endogenous Metabolite
In Vitro	Farnesol is a sesquiterpene alcohol that modulates cell-to-cell communication in <i>Candida albicans</i> . It is also shown that this molecule presents inhibitory effects against non- <i>albicans</i> <i>Candida</i> species, <i>Paracoccidioides brasiliensis</i> and bacteria. The minimum inhibitory concentrations (MICs) are determined in accordance with the M27-A3 protocol as described and Farnesol is tested at a concentration range of 0.29-150 μM. It is observed that Farnesol presents an inhibitory activity against

---

C. neoformans and C. gattii (MIC range: 0.29-75.0 μM). Although Farnesol does not significantly alter phospholipase activity, a tendency to decrease this activity is observed<sup>[1]</sup>.  
MCE has not independently confirmed the accuracy of these methods. They are for reference only.

---

## CUSTOMER VALIDATION

- Int J Antimicrob Agents. 2023 Jun 22;106899.

See more customer validations on [www.MedChemExpress.com](http://www.MedChemExpress.com)

## REFERENCES

[1]. Cordeiro Rde A, et al. Farnesol inhibits in vitro growth of the Cryptococcus neoformans species complex with no significant changes in virulence-related exoenzymes. Vet Microbiol. 2012 Oct 12;159(3-4):375-80.

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA