



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Acetamide

Cat. No.:	HY-Y0946		
CAS No.:	60-35-5		
Molecular Formula:	C ₂ H ₅ NO		
Molecular Weight:	59.07		
Target:	Biochemical Assay Reagents		
Pathway:	Others		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

H₂O : 50 mg/mL (846.45 mM; Need ultrasonic)

	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	16.9291 mL	84.6453 mL	169.2907 mL
	5 mM	3.3858 mL	16.9291 mL	33.8581 mL
	10 mM	1.6929 mL	8.4645 mL	16.9291 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Acetamide is used as an intermediate in the synthesis of methylamine, thioacetamide, and insecticides, and as a plasticizer in leather, cloth and coatings. Acetamide has carcinogenicity. Acetamide derivatives may have antioxidant activity and potential anti-inflammatory activity^{[1][2][3]}.

REFERENCES

- [1]. Autore G, et al. Acetamide derivatives with antioxidant activity and potential anti-inflammatory activity. *Molecules*. 2010 Mar 23;15(3):2028-38.
- [2]. Acetamide. *IARC Monogr Eval Carcinog Risks Hum*. 1999;71 Pt 3:1211-21.
- [3]. Moore MM, et, al. The food contaminant acetamide is not an in vivo clastogen, aneugen, or mutagen in rodent hematopoietic tissue. *Regul Toxicol Pharmacol*. 2019 Nov;108:104451.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA