



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Benzamide-¹⁵N

| | | | |
|---------------------------|---|-------|----------|
| Cat. No.: | HY-Z0283S | | |
| CAS No.: | 31656-62-9 | | |
| Molecular Formula: | C ₇ H ₇ ¹⁵ NO | | |
| Molecular Weight: | 122.13 | | |
| Target: | Endogenous Metabolite; PARP | | |
| Pathway: | Metabolic Enzyme/Protease; Cell Cycle/DNA Damage; Epigenetics | | |
| Storage: | Powder | -20°C | 3 years |
| | | 4°C | 2 years |
| | In solvent | -80°C | 6 months |
| | | -20°C | 1 month |



SOLVENT & SOLUBILITY

In Vitro

DMSO : 100 mg/mL (818.80 mM; Need ultrasonic)

| Concentration | Mass | | |
|---------------|-----------|------------|------------|
| | 1 mg | 5 mg | 10 mg |
| 1 mM | 8.1880 mL | 40.9400 mL | 81.8800 mL |
| 5 mM | 1.6376 mL | 8.1880 mL | 16.3760 mL |
| 10 mM | 0.8188 mL | 4.0940 mL | 8.1880 mL |

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Benzamide-¹⁵N is a ¹⁵N-labeled Benzamide. Benzamide inhibits poly(ADP-ribose) polymerase (PARP)[1][2].

In Vitro

Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs^[1].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.

[2]. Cosi C, et al. Benzamide, an inhibitor of poly(ADP-ribose) polymerase, attenuates methamphetamine-induced dopamine neurotoxicity in the C57B1/6N mouse. *Brain Res.* 1996;735(2):343-348.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA