



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Goat colostrum

Catalogue number: **GCoI**

Product Type	Serum
Units	0.5 ml
Species reactivity	Goat

Background

As a qualitative reference with an optimized protein content to study the normal protein composition of goat colostrum. To identify or quantitate a normal colostrum protein component using a variety of immunodiffusion techniques including immunoelectrophoresis, single and double radial immunodiffusion and electroimmunodiffusion. As a reference in nephelometry and other automated precipitation techniques. As a blocking agent or as a negative control in non-precipitating antibody-binding assays e.g. in serodiagnostic immunofluorescence and immunoenzyme tests. This normal reference does not contain assigned values for individual proteins but can be used as an internal relative standard for quantitative protein assays such as double radial immunodiffusion (Mancini, Fahey), ELISA, Western immunoblotting and electroimmunodiffusion (Laurell), expressing the results obtained with the sample under investigation as a percentage of the protein concentration in the normal reference.

Product

Delipidated, heat inactivated, lyophilized, stable whole colostrums. No preservative added.

Applications

Goat colostrum is shipped lyophilized at ambient temperature. After arrival store at +4°C. Prolonged storage may be at -20°C. After opening the vial, the lyophilized content is reconstituted by adding 0.5 ml of sterile distilled water, mixed gently by inversion until complete dissolution is obtained. Allow to stand at ambient temperature for 5-10 minutes to reach equilibrium. Reconstituted colostrum may be stored frozen.

Specificity

Pooled Goat colostrum

Storage

Lyophilized at +4°C--at least 10 years. Reconstituted at or below -20°C--3-5 years. Reconstituted at +4°C--7 days

Caution

Distributors

For Purchasing Information, please contact your local distributor

[Find Distributor](#)

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability for any inaccuracies or omissions in this information.

[Home](#) | [Company Profile](#) | [Catalogue](#) | [Distributors](#) | [Contact](#) |

Content: Nordic-MUbio BV - Copyright © 2015