



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



## Rabbit anti Bisphenol A

Catalogue number: **K66s**

Clone	Polyclonal
Product Type	Serum
Units	0.1 ml
Host	Rabbit
Application	ELISA

## Distributors

For Purchasing Information, please contact your local distributor

[Find Distributor](#)

### Background

Bisphenol A (BPA) is predominantly used in the production of polycarbonate plastics and epoxy resins that are used in many products. It is released into the environment and food. BPA is an endocrine disruptor with estrogenic and obesogenic properties. It influences reproduction and has an epigenetic effect already in the foetus.

### Source

Rabbit immune serum

### Product

Each vial contains 0.1 ml of serum

### Applications

Titer of the antibody is about 50,000, which means that in the ELISA a dilution of 50,000 times will give 50 % binding.

### Cross Reactivity

Cross Reactivity in a direct assay Molecules containing a phenolic group % Cross Reactivity Bisphenol A 100% 4,4'-(ethylidene) bisphenol 10% Bis-(4-hydroxy phenyl)-methane 1% Nonylphenol 1% 4-cumylphenol 20% Molecules lacking a phenolic group % Cross Reactivity Vinclozolin 0.1% Pirimifos-ethyl < 0.1% 17 $\beta$ -Estradiol < 0.1% 2,4 D 0.1% Sulfadimidine < 0.1% Cross Reactivity in an indirect assay Molecules containing a phenolic group % Cross Reactivity Bisphenol A 100% 4,4'-(ethylidene) bisphenol 100% Bis-(4-hydroxyphenyl)-methane 1 % 4-cumylphenol 100% Molecules lacking a phenolic group % Cross Reactivity Vinclozolin < 0.1% Pirimifos-ethyl < 0.1% 2,4 D 0.1% Fenitrothion < 0.1% Chlorpyrifos-methyl < 0.1% Erythromycine < 0.1%

### Specificity

Immunogen: BSA-Bisphenol Valeric Acid (BVA), Target: Bisphenol A, CAS no.: 80-05-7, Solubility: Acetone, Ethanol, Ether, Benzene.

**Storage**

Store at 4 °C or aliquot and store at -20 °C for longer periods. Precautions should be taken upon storage for longer periods. Problems of long term stability may occur with highly diluted solutions. No other preservative agent has been added to the present formulation. For long storage purposes in solution the addition of sodium azide at 0.02 % is advised with the appropriate precautions of use.

**References**

1. Eline P. Meulenberg, Kees Koopal and Ria Rhemrev - Immunoassays for alkylphenolic pollutants with endocrine disrupting activity. Intern. J. Environ. Anal. Chem. Vol 85, no 12-13, 15 October-15 November 2005, 871-883

**Caution**

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This product contains sodium azide. To prevent formation of toxic vapors, do not mix with strong acidic solutions. To prevent formation of potentially explosive metallic azides in metal plumbing, always wash into drain with copious quantities of water. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability for any inaccuracies or omissions in this information.