



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Rabbit anti Alkylphenols (nonylphenol; octylphenol)

Catalogue number: **M33p**

Clone	Polyclonal
Product Type	Primary Antibodies
Units	0.5 ml
Host	Rabbit
Application	ELISA

Distributors

For Purchasing Information,
please contact your local
distributor

[Find Distributor](#)

Background

Alkylphenols are used as starting material for the production of surface active substances, detergents, pesticides, paints, textile and paper. It is released during the production and use of these products. Alkylphenols are recognized as endocrine disruptors, in particular estrogenic endocrine disruptors.

Source

Rabbit Ig purified by affinity purification on a caprylic acid coupled column

Product

Each vial contains 0.5 ml 0.8 mg/ml of affinity purified polyclonal antibody in phosphate buffered saline (pH 7.2) containing 0.02% sodium azide

Applications

The antibody may be used in ELISA and IAC. For ELISA, the recommended dilution is 1:300 to 1:3000, depending on the conjugate used for detection. For positive controls ELISA plates are coated with 400 ng/ml BSA-conjugated C6/C8-alkylphenol.

Cross Reactivity

Cross Reactivity BSA-C6-AP BSA-C8-AP Octylfenol 100% 100% 4-tert-Butylphenol 6% 7% 2-sec-Butylphenol 1% 0% 4-pentylphenol 556% 367% 4-n-heptylphenol 256% 194% 4-n-propylphenol 33% 10% 2-n-propylfenol 0% 0% 4-Isopropylphenol 6% 10% 4-n-hexylphenol 300% 500% 4-chloro-2-cyclo-hexylphenol 0% 1% nonylphenol(tech) 12% 18% 4-n-nonylphenol 30% 50% Bisphenol A 8% 7% 4-cumylphenol n.d 200% 4-Octylphenol n.d 100% 4,4'-(ethylidene) bisphenol n.d 100% Bisphenol A diglycidyl ether n.d 500% Phenol n.d 0% 4,4'-cyclohexylidene bisphenol n.d 200% Bis-(4-hydroxyphenyl)-methane n.d 200%

Specificity

Target: Alkylphenols (a family of comparable compounds; as an example nonylphenol is given), CAS no.: 104-40-5

Storage

This working antibody solution is stable for at least 7 days at 4 °C. Precautions should be taken upon storage for longer periods. Problems of long term stability may occur with highly diluted solutions. No other preservative agent has been added to the present formulation. For long storage purposes in solution the addition of sodium azide at 0.02 % is advised with the appropriate precautions of use.

References

1. Meulenberg EP, Koopal K, Rhemrev R. (2005) Immunoassays for alkylphenolic pollutants with endocrine disrupting activity. Intern. J. Environ. Anal. Chem. 85, 871-883.

Caution

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This product contains sodium azide. To prevent formation of toxic vapors, do not mix with strong acidic solutions. To prevent formation of potentially explosive metallic azides in metal plumbing, always wash into drain with copious quantities of water. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability for any inaccuracies or omissions in this information.