

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Mouse anti Human lactoferrin, conjugated with TRITC

Catalogue number: MAHu/Lfr/TRITC

CloneNI 25IsotypeIgG1Product TypePrimary AntibodiesUnits0.2 mgHostMouseSpecies reactivityHumanApplicationELISA Immunofluorescence Immunohistochemistry (frozen)		
Product TypePrimary AntibodiesUnits0.2 mgHostMouseSpecies reactivityHumanApplicationELISA Immunocytochemistry Immunofluorescence	Clone	NI 25
Units0.2 mgHostMouseSpecies reactivityHumanApplicationELISA Immunocytochemistry Immunofluorescence	lsotype	lgG1
Host Mouse Species reactivity Human Application ELISA Immunocytochemistry Immunofluorescence	Product Type	Primary Antibodies
Species reactivity Human Application ELISA Immunocytochemistry Immunofluorescence	Units	0.2 mg
Application ELISA Immunocytochemistry Immunofluorescence	Host	Mouse
Immunocytochemistry Immunofluorescence	Species reactivity	Human
	Application	Immunocytochemistry Immunofluorescence

Distributors

For Purchasing Information, please contact your local distributor

Find Distributor

Background

The reactivity of the antiserum is restricted to lactoferrin as tested in indirect binding immunoblotting and indirect immunoperoxidase staining. To identify the presence of lactoferrin in human milk, other body fluids, cell and tissue substrates and to determine its concentration in immunofluorescence staining techniques. The optimum working dilution is an assay-related characteristic and should always be determined by titration. For histochemical use optimum dilutions are mostly from 1:10 to 1:100. These data should be interpreted as general recommendations only.

Source

Highly purified lactoferrin isolated from human milk.

Product

Purified monoclonal mouse IgG1 kappa conjugated with TRITC, lyophilized from a solution in phosphate buffered saline (pH7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added.

Applications

ELISA,Immunocytochemistry,Immunohistochemistry (frozen), (In)direct immunofluorescence.

Cross Reactivity

The antiSerum does not react with any other component of the Human milk or plasma protein as tested. This antiSerum has not been tested for cross-reactivity with other species.

Specificity

Tetramethylrhodamine isothiocyanate-conjugated purified monoclonal Mouse antibody to Human lactoferrin.

Storage

The lyophilized product is shipped at ambient temperature and may be stored at +4°C; prolonged storage at or below -20°C. Reconstitute the lyophilized product by adding 0.5 ml sterile distilled water. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Avoid repeated thawing and freezing. If a slight precipitation occurs upon storage, this should be removed by centrifugation and will not affect the performance of the product. Diluted solutions should be stored at +4°C, not refrozen, and preferably used the same day. Lyophilized at +4° C-at least 10 years. Reconstituted at or below -20° C--3-5 years. Reconstituted at +4° C--7 days

Caution

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability for any inaccuracies or omissions in this information.

Home | Company Profile | Catalogue | Distributors | Contact |

Content: Nordic-MUbio BV - Copyright © 2015