



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Streptavidin, conjugated with Texas Red

Catalogue number: **SAv/TR**

Product Type	Secondary Antibodies
Units	0.1 mg
Host	
Application	ELISA Immunocytochemistry Immunofluorescence Immunohistochemistry (frozen)

Distributors

For Purchasing Information, please contact your local distributor

[Find Distributor](#)

Background

As a fluorescent marker for biotine conjugates. It is of critical importance always to establish by titration the optimum working dilution, since it depends on the variables of the test arrangement. Working dilutions are usually from 2 to 5 µg/ml.

Product

Lyophilized, stable violet powder. 0.05% Sodium azide.

Applications

ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. The conjugate is shipped at ambient temperature and must be stored at 4°C. Reconstitute the lyophilized product by adding 0.1 ml sterile water. Spin down to remove insoluble particles, divide into small aliquots, and store as a liquid at or below -20°C by adding an equal volume of glycerol. Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the conjugate. Dilutions should be stored at +4°C, not refrozen, and preferably used the same day. Avoid exposure to light.

Specificity

Texas Red®-conjugated streptavidin.

Storage

Lyophilized at +4°C--at least 10 years. Reconstituted at or below -20°C--3-5 years. Reconstituted at +4°C--7 days.

Caution

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This product contains sodium azide.

To prevent formation of toxic vapors, do not mix with strong acidic solutions. To prevent formation of potentially explosive metallic azides in metal plumbing, always wash into drain with copious quantities of water. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability for any inaccuracies or omissions in this information.