

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

# Datasheet for 000-001-M07 Apelin 13, pyr1, Lys4, lle12

#### **Overview**

| Description: | Apelin 13 pyr1, Lys4, lle12 Peptide - 000-001-M07 |
|--------------|---|
| Item No.:    | 000-001-M07                                       |
| Size:        | 1 mg  |

#### **Product Details**

| Background: | Apelin (APLN) is an endogenous ligand for APJ, an alternative coreceptor with CD4 for HIV-1 infection. It inhibits HIV-1 entry in cells coexpressing CD4 and APJ. It is widely expressed in various organs. Apelin-36 has a greater inhibitory activity on HIV infection than other synthetic apelin derivatives. The oral intake in the colostrum and the milk could have a role in the modulation of the immune responses in neonates. May also have a role in the central control of body fluid homeostasis by influencing AVP release and drinking behavior. Recently, 46 different apelin peptides ranging from apelin 55 (proapelin) to apelin 12 have been identified in bovine colostrum. |
|-------------|---|
| Synonyms:   | Apelin, APJ endogenous ligand, Apelin-36, Apelin-31, Apelin-28, Apelin-13, APLN, APEL, control peptide, blocking peptide  |
| Туре:       | Peptide   |

#### **Target Details**

Purity/Specificity: Greater than 95% specific peptide.

#### **Application Details**

| Application Note: | Apelin 13 pyr1, Lys4, lle12 Control Peptide is suitable for use in ELISA, Western Blot, Dot blot, PCA, and other assays. Control peptide should be used at 1.0 μg per 1.0 μl of antiserum in per assay. Specific conditions for reactivity should be optimized by the end user. |
|-------------------|---|
| Assay Dilutions:  | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.   |



www.rockland.com tech@rockland.com +1 484.791.3823

#### Formulation

| Physical State:               | Lyophilized                                  |
|-------------------------------|--|
| Concentration:                | 1.0 mg/mL by dry weight                      |
| Buffer:                       | None   |
| <b>Reconstitution Volume:</b> | 1.0 mL                                       |
| <b>Reconstitution Buffer:</b> | Restore with deionized water (or equivalent) |

### **Shipping & Handling**

| Shipping Condition: | Ambient   |
|---------------------|---|
| Storage Condition:  | Store vial at 2 - 8 ° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. Dilute only prior to immediate use. |
| Expiration:         | Expiration date is one (1) year from date of receipt.   |

#### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.



#### Order online now!

www.rockland.com tech@rockland.com +1 484.791.3823