

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

#### Datasheet for 009-001-GQ8

## ERK1 hu recomb protein

#### **Overview**

Description:	ERK1 human recombinant protein - 009-001-GQ8
Item No.:	009-001-GQ8
Size:	10 μg
Applications:	SDS-PAGE
Origin:	Human
Expressed in:	Sf9 cells

#### **Product Details**

**Background:** ERK1 recombinant protein was produced in Sf9 cells. Mitogen activated protein kinase 3, also

known as MAPK3, ERK, or ERK1, is an integral component of the MAP kinase cascade that regulates cell growth and differentiation. ERK1 and ERK2 are activated by MEK1 and MEK2 in the B-raf signaling pathway resulting in its translocation to the nucleus where it phosphorylates nuclear targets. Human ERK1 and ERK2 are 84% identical in sequence and share common functionality in cells. Recombinant ERK1 protein is ideal for investigators involved in

Neuroscience, Cell Signaling and Cancer Research.

**Synonyms:** MAPK3, ERK, ERK1, PRKM3, ERK-1 recombinant protein

Species of Origin: Human

Expressed in: Sf9 cells

Type: Recombinant Protein

#### **Target Details**

Gene Name: MAPK3

Purity/Specificity: ERK1 is a recombinant protein containing a polyhistidine tag expressed in Sf9. Analysis by SDS-

PAGE resulted in a pattern consistent with purified ERK1 and was estimated to be greater than

90% nure

Relevant Links: • UniProtKB - P27361

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

### **Application Details**

<b>Tested Applications:</b>	SDS-PAGE
Application Note:	Human ERK1 recombinant protein has been tested in SDS-Page and is suitable as a control for polyclonal or monoclonal anti-ERK1 in immunological assays. For western blot use at 50 ng or less. For other assays concentration is user optimized.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	50ng

### **Formulation**

Physical State:	Liquid (sterile filtered)
Concentration:	1mg/ml
Stabilizer:	None

## **Shipping & Handling**

Shipping Condition:	Dry Ice
Storage Condition:	Store vial at -20° C prior to opening. This product is stable at 4° C as an undiluted liquid. For extended storage, aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.


### **Images**

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823



#### **SDS-PAGE**

SDS PAGE Results of ERK1 human recombinant protein. Lane 1: ERK1 rec protein Reduced 1X. Lane 2: Opal Prestained Molecular Weight Markers (p/n MB-210-0500). Lane 3: ERK1 rec protein Non-Reduced 1X. 4-20% Gel, Coomassie Stained.

#### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3