



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet for 009-001-R46S

BAG1 protein-GST fusion**Overview**

Description:	BAG1 recombinant protein-GST fusion protein - 009-001-R46S
Item No.:	009-001-R46S
Size:	20 µg
Origin:	Human
Expressed in:	E. coli

Product Details

Background:	BAG1 (also known as BCL2-associated athanogene) is a membrane protein rich in glutamic acid residues that binds to BCL2 and blocks apoptosis or programmed cell death (1). The BAG1-BCL2 complex enhances the anti-apoptotic effects of BCL2 and represents a link between growth factor receptors and anti-apoptotic mechanisms (2). Overexpression of BAG1 in 3T3 fibroblasts prevents apoptosis in the presence of low serum. BAG1 has also been shown to interact with activated glucocorticoid, androgen, estrogen and progesterone receptors. Binding to these receptors by BAG1 is dependent on receptor activation. BAG1 Protein is ideal for investigators involved in Signaling Proteins, Apoptosis Proteins, AKT/PKB Pathway, Apoptosis/Autophagy, Cancer, Cardiovascular Disease, and Neurobiology research.
Synonyms:	BAG family molecular chaperone regulator 1 (BAG-1) (Bcl-2-associated athanogene 1), HAP, RAP46
Species of Origin:	Human
Expressed in:	E. coli
Type:	Recombinant Protein

Target Details

Gene Name:	BAG1
Purity/Specificity:	Recombinant human BAG1 (72-end) was expressed in E. coli cells using an N-Terminal Glutathione-S-Transferase fusion protein. The purity was determined to be >85% by densitometry.
Relevant Links:	<ul style="list-style-type: none">• NCBI - NM_004323

Application Details

Application Note:	BAG1 Protein is stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol. BAG1 Protein is suitable for use in Western Blot. Expect a band approximately ~ 66kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	User Optimized

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.2 µg/µL
Buffer:	See application note.

Shipping & Handling

Shipping Condition:	Dry Ice
Storage Condition:	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Expiration:	Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

