



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet for 009-001-R92S

**FADD protein-HIS Epitope****Overview**

<b>Description:</b>	FADD recombinant protein-HIS Epitope - 009-001-R92S
<b>Item No.:</b>	009-001-R92S
<b>Size:</b>	20 µg
<b>Applications:</b>	SDS-PAGE, WB
<b>Origin:</b>	Human
<b>Expressed in:</b>	E. coli

**Product Details**

<b>Background:</b>	FADD or Fas-Associated protein with Death Domain is an adaptor molecule that mediates death signaling by the Fas-receptor, tumor necrosis factor receptor and TRAIL-receptor. FADD binds to these receptors via the C-terminus Death Domain which then unmask the N-terminal effector domain of FADD thereby allowing it to recruit caspase-8 and activate the cysteine protease cascade leading to apoptosis (1). Cells lacking FADD are defective in intracellular double-stranded RNA (dsRNA)-activated gene expression, including production of type I (alpha/beta) interferons and are thus very susceptible to viral infection (2). FADD Protein is ideal for investigators involved in Signaling Proteins, Adaptor Proteins, Apoptosis/Autophagy, Cancer, Cardiovascular Disease, and NfκB Pathway research.
<b>Synonyms:</b>	GIG3, MORT1, MGC8528, FAS-associated death domain protein, FAS-associating death domain-containing protein, Growth-inhibiting gene 3 protein, Mediator of receptor induced toxicity, Protein FADD
<b>Species of Origin:</b>	Human
<b>Expressed in:</b>	E. coli
<b>Type:</b>	Recombinant Protein

**Target Details**

<b>Gene Name:</b>	FADD
<b>Purity/Specificity:</b>	Recombinant full-length human FADD was expressed in E. coli cells using an N-Terminal his epitope. The purity was determined to be >95% by densitometry.

**Relevant Links:** • [NCBI - NM\\_003824](#)

## Application Details

**Tested Applications:** SDS-PAGE, WB**Application Note:** FADD Protein is stored in 50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol. FADD Protein is suitable for use in Western Blot. Expect a band approximately ~ 27kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.**Assay Dilutions:** All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.**WB:** User Optimized

## Formulation

**Physical State:** Liquid (sterile filtered)**Concentration:** 0.2 µg/µL**Buffer:** See application note.

## Shipping & Handling

**Shipping Condition:** Dry Ice**Storage Condition:** Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.**Expiration:** Expiration date is one (1) year from date of receipt.

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.



**Order online now!**

[www.rockland.com](http://www.rockland.com)  
[tech@rockland.com](mailto:tech@rockland.com)  
+1 484.791.3823