

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 009-001-S55S NCK protein-HIS Epitope

Overview

Description:	NCK recombinant protein-HIS Epitope - 009-001-S55S
Item No.:	009-001-S55S
Size:	20 µg
Origin:	Human
Expressed in:	Sf9 cells

Product Details

Background:	NCK (or non-catalytic region of tyrosine kinase adaptor protein 1) is an adaptor protein that is located in the cytoplasm and involved in transducing signals from receptor tyrosine kinases to downstream signal recipients such as RAS (1). NCK is a signaling and transforming protein that contains Src homology 2 and 3 (SH2 and SH3) domains. NCK functions by coupling tyrosine phosphorylation via SH2 domains to downstream effectors through SH3 domains. Furthermore, NCK couples tyrosine phosphorylation guidance signals to cytoskeletal events required for the ipsilateral projections of spinal cord neurons and for normal limb movement (2). NCK Protein is ideal for investigators involved in Signaling Proteins, Adaptor Proteins, Angiogenesis, Cancer, Inflammation, and Invasion/Metastasis research.
Synonyms:	NCK1, MGC12668, NCKalpha, Cytoplasmic protein NCK1 NCK adaptor protein 1, Nck-1, SH2/SH3 adaptor protein NCK-alpha
Species of Origin:	Human
Expressed in:	Sf9 cells
Туре:	Recombinant Protein

Target Details

Gene Name:	NCK1
Purity/Specificity:	Recombinant full-length human NCK was expressed by baculovirus in Sf9 insect cells using an N- Terminal his epitope. The purity was determined to be >75% by densitometry.
Relevant Links:	• NCBI - NM_006153



www.rockland.com tech@rockland.com +1 484.791.3823

Application Note:	NCK Protein is stored in 50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol. NCK Protein is suitable for use in Western Blot. Expect a band approximately ~48kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	User Optimized

Application Details

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.2 μg/μL
Buffer:	See application note.

Shipping & Handling

Shipping Condition:	Dry Ice
Storage Condition:	Store product at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Expiration:	Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.



Order online now!

www.rockland.com tech@rockland.com +1 484.791.3823