



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet for 009-001-S94S

**PI3K (p85 alpha) protein-HIS Epitope****Overview**

<b>Description:</b>	PI3K (p85 alpha) recombinant protein-HIS Epitope - 009-001-S94S
<b>Item No.:</b>	009-001-S94S
<b>Size:</b>	20 µg
<b>Applications:</b>	SDS-PAGE, WB
<b>Origin:</b>	Human
<b>Expressed in:</b>	Sf9 cells

**Product Details**

<b>Background:</b>	The PI3K comprises of a 110 kDa catalytic subunit and an 85 kDa regulatory subunit. A number of isoforms of the 110 kDa catalytic subunit and the 85 kDa regulatory subunit exist in cells. p85 $\alpha$ modulates the interaction between PI3K and platelet-derived growth factor receptor (1). Furthermore, estrogen receptor isoform ER-alpha binds in a ligand-dependent manner to the p85-alpha regulatory subunit of PI3K. Stimulation with estrogen increases ER-alpha-associated PI3K activity, leading to the activation of protein kinase B/AKT and endothelial nitric oxide synthase (eNOS) (2). PI3K (p85 alpha) Protein is ideal for investigators involved in Signaling Proteins, Cellular Proteins, AKT/PKB Pathway, Angiogenesis, Apoptosis/Autophagy, Cancer, Cardiovascular Disease, Inflammation, Invasion/Metastasis, Metabolic Disorder, Neurobiology, Nfkb Pathway, and WNT Signaling research.
<b>Synonyms:</b>	PI3K catalytic Domain $\alpha$ , PIK3R1, GRB1, p85-ALPHA, Phosphatidylinositol 3-kinase regulatory subunit alpha, PI3-kinase regulatory subunit alpha, PI3K regulatory subunit alpha, PtdIns-3-kinase regulatory subunit alpha, Phosphatidylinositol 3-kinase 85 kDa regulatory subunit alpha, PI3-kinase subunit p85-alpha, PtdIns-3-kinase regulatory subunit p85-alpha
<b>Species of Origin:</b>	Human
<b>Expressed in:</b>	Sf9 cells
<b>Type:</b>	Recombinant Protein

**Target Details**

<b>Gene Name:</b>	PIK3R1
-------------------	--------

**Purity/Specificity:** Recombinant full-length human PI3K (p85 $\alpha$ ) was expressed by baculovirus in Sf9 insect cells using an N-Terminal his epitope. The purity was determined to be >95% by densitometry.

**Relevant Links:** • [NCBI - NM\\_181523](#)

## Application Details

**Tested Applications:** SDS-PAGE, WB

**Application Note:** PI3K (p85 alpha) Protein is stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 0.25mM DTT, 0.1mM EGTA, 0.1mM EDTA, 0.1mM PMSF, 25% glycerol. Human PI3K (p85 alpha) Protein has been tested in SDS-Page and is suitable for use in Western Blot and Kinase Assay. Expect a band approximately ~86kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.

**Assay Dilutions:** All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

**WB:** User Optimized

## Formulation

**Physical State:** Liquid (sterile filtered)

**Concentration:** 0.2  $\mu\text{g}/\mu\text{L}$

**Buffer:** See application note.

## Shipping & Handling

**Shipping Condition:** Dry Ice

**Storage Condition:** Store product at  $-70^{\circ}\text{C}$ . For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

**Expiration:** Expiration date is one (1) year from date of receipt.

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.