

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 009-001-T39S

SMAD3 protein-GST fusion

Overview

Description:	SMAD3 recombinant protein-GST fusion protein - 009-001-T39S
Item No.:	009-001-T39S
Size:	20 μg
Origin:	Human
Expressed in:	E. coli

Product Details

Background:	SMAD3 is a direct mediator of transcriptional activation by the TGF β receptor. The activity of SMAD3 is regulated by the TGF β receptors, and SMAD3 is phosphorylated and associated with the ligand-bound receptor complex. TGF β stimulation leads to phosphorylation and activation of SMAD3, which form a complex with SMAD4 that accumulate in the nucleus and regulate
	transcription of target genes such as CDK inhibitor (1). SMAD3 containing a C-terminal truncation acts as a dominant-negative inhibitor of the normal TGFβ response. SMAD3 is a major physiologic substrate of the G1 cyclin-dependent kinases CDK4 and CDK2 (2). SMAD3 Protein is ideal for investigators involved in Signaling Proteins, Transcription Proteins, AKT/PKB

Pathway, Angiogenesis, Cancer, Cell Cycle, Cellular Stress, ERK/MAPK Pathway, Inflammation, JAK/STAT Pathway, JNK/SAPK Pathway, NfkB Pathway, and WNT Signaling research.

MADH3, JV15-2, HSPC193, HsT17436, MGC60396, DKFZP586N0721, DKFZp686J10186, Mothers against decapentaplegic homolog 3, MAD homolog 3, Mad3, Mothers against DPP homolog 3,

hMAD-3, JV15-2

Species of Origin: Human

Expressed in: E. coli

Type: Recombinant Protein

Target Details

Synonyms:

Gene Name: SMAD3

Purity/Specificity: Recombinant full-length human SMAD3 was expressed in E. coli cells using an N-Terminal

Glutathione-S-Transferase fusion protein. The purity was determined to be >90% by

densitometry.

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

Relevant Links: • NCBI - NM 005902

Application Details

Application Note:	SMAD3 Protein is stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol. SMAD3 Protein is suitable for use in Western Blot and Kinase Assay. Expect a band approximately ~77kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	User Optimized

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.2 μg/μL
Buffer:	See application note.

Shipping & Handling

Shipping Condition:	Dry Ice
Storage Condition:	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Expiration:	Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

www.rockland.com Page 3 of 3