

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 009-001-T47S

SNCG protein-HIS Epitope

Overview

| Description: | SNCG recombinant protein-HIS Epitope - 009-001-T47S |
|---------------|---|
| Item No.: | 009-001-T47S |
| Size: | 20 μg |
| Origin: | Human |
| Expressed in: | E. coli |

Product Details

Background: SNCG or synuclein, gamma (breast cancer-specific protein 1) is a member of the synuclein family

of proteins which are believed to be involved in the pathogenesis of neurodegenerative diseases. SNCG gene may also be overexpressed in ovarian cancers (1). The overexpression of SNCG may indicate breast cancer malignant progression from benign or in situ carcinoma. SNCG may also play a role in motor neurons dysfunction and cell death (2). Synuclein proteins play an important role in regulating neurotransmitter release from specific populations of midbrain dopamine neurons through mechanisms that differ from those reported in other neurons. SNCG Protein is ideal for investigators involved in Signaling Proteins, Microtubule/Actin

Associated Proteins, Cancer, and Neurobiology research.

Synonyms: BCSG1, PERSYN, PRSN, SR, Gamma-synuclein, Breast cancer-specific gene 1 protein, Persyn,

Synoretin, SNCG

Species of Origin: Human

Expressed in: E. coli

Type: Recombinant Protein

Target Details

| Gene Name: | SNCG |
|---------------------|--|
| Purity/Specificity: | Recombinant full length human SNCG was expressed in E. coli cells using an N-Terminal his epitope. The purity was determined to be >95% by densitometry. |
| Relevant Links: | • NCBL-NM 003087 |

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

Application Details

| Application Note: | SNCG Protein is stored in 50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol. SNCG Protein is suitable for use in Western Blot. Expect a band approximately ~17.5kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user. |
|-------------------|--|
| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |
| WB: | User Optimized |

Formulation

| Physical State: | Liquid (sterile filtered) |
|-----------------------|---------------------------|
| Concentration: | 0.2 μg/μL |
| Buffer: | See application note. |

Shipping & Handling

| Shipping Condition: | Dry Ice |
|---------------------|---|
| Storage Condition: | Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles. |
| Expiration: | Expiration date is one (1) year from date of receipt. |

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

www.rockland.com Page 3 of 3