

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 009-001-U61S

XIAP protein-GST fusion

Overview

Description:	XIAP recombinant protein-GST fusion protein - 009-001-U61S
Item No.:	009-001-U61S
Size:	20 μg
Origin:	Human
Expressed in:	Sf9 cells

Product Details

Background:

XIAP is a member of a family of proteins which inhibit apoptosis and act as mammalian cell-death suppressors. XIAP inhibits at least 2 members of the caspase family of cell-death proteases, caspase-3 and caspase-7 (1). In addition, XIAP inhibits apoptosis induced by menadione, a potent inducer of free radicals, and ICE. Furthermore, XIAP can mediate protection of cells from apoptosis by utilizing both a JNK1 activation pathway that involves ILPIP and a caspase inhibition pathway that is independent of ILPIP (2). Disruption of the XIAP gene in human colon cancer cells can enhance sensitivity of these cells to exogenously added TRAIL suggesting that XIAP is a nonredundant modulator of TRAIL-mediated apoptosis. XIAP Protein is ideal for investigators involved in Signaling Proteins, Apoptosis Proteins, Apoptosis/Autophagy, Cancer, Inflammation, and Neurobiology research.

Synonyms:	API3, ILP1, MIHA, XLP2, BIRC4, E3 ubiquitin-protein ligase XIAP
Species of Origin:	Human
Expressed in:	Sf9 cells
Туре:	Recombinant Protein

Target Details

Gene Name:	XIAP
Purity/Specificity:	Recombinant full-length human XIAP was expressed by baculovirus in Sf9 insect cells using a C-terminal Glutathione-S-Transferase fusion protein. The purity was determined to be >70% by densitometry.
Relevant Links:	• NCBI - NM_001167

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

Application Details

Application Note:	XIAP Protein is stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol. XIAP Protein is suitable for use in Western Blot. Expect a band approximately ~84kDa on specific lysates or tissues. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	User Optimized

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.2 μg/μl
Buffer:	See application note.

Shipping & Handling

Shipping Condition:	Dry Ice
Storage Condition:	Store product at -70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Expiration:	Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

www.rockland.com Page 3 of 3