

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 009-F01-V58-0010

rHuman IL-19 Protein

Overview

Description:	Human Interleukin-19 Recombinant Protein (Animal Free) - 009-F01-V58-0010
Item No.:	009-F01-V58-0010
Size:	10 μg
Applications:	SDS-PAGE
Origin:	Human
Expressed in:	E. coli

Product Details

Background:	Interleukin-19 (IL-19) is a member of the IL-10 family produced by resting B cells and monocytes. IL-19 is thought to be up-regulated when monocytes are treated with GM-CSF or LPS. IL-19 shares a receptor complex with IL-20, and acts to induce IL-6 and TNF- α production by monocytes and promotes the Th2 response. Recombinant human IL-19 is a non-glycosylated protein, containing 154 amino acids, with a molecular weight of 17.9 kDa.
Synonyms:	Melanoma differentiation associated-like protein
Species of Origin:	Human
Expressed in:	E. coli
Туре:	Recombinant Protein
Low Endotoxin:	Yes

Target Details

Gene Name:	IL19
Purity/Specificity:	Interleukin-19 is produced with no animal-derived raw products, animal free equipment and animal free protocols. Purity was determined to be greater than 98% as determined by reducing and non-reducing SDS-PAGE.
Relevant Links:	UniProtKB - Q9UHD0

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

Application Details

Tested Applications:	SDS-PAGE
Application Note:	Interleukin-19 Recombinant Protein has been tested by SDS-PAGE and is suitable as a control for polyclonal or monoclonal anti-Interleukin-19 in immunological assays.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
Other:	Endotoxin Level: Measured by kinetic LAL analysis and is typically ≤ 1 EU/µg protein. Biologic Activity: The activity is determined by the activation of STAT following receptor-ligand interaction.

Formulation

Physical State:	Lyophilized
Buffer:	0.1% Trifluoroacetic acid
Preservative:	None
Stabilizer:	None
Reconstitution Volume:	10μl (10-100μl)
Reconstitution Buffer:	Restore with deionized water (or equivalent)

Shipping & Handling


Shipping Condition:	Ambient
Storage Condition:	Store vial at 4° C prior to restoration. Dilute only prior to immediate use. Maintain sterility. This product DOES NOT contain preservative. DO NOT VORTEX. We recommend adding a carrier protein such as HSA or BSA to 0.1% (i.e. 1.0 mg/mL). For best results aliquot contents and freeze at -20° C or colder. Avoid cycles of freezing and thawing. Centrifuge vial before each opening to dislodge contents from the cap and to clarify if contents are not clear after standing at room temperature.
Expiration:	Expiration date is six (6) months from date of receipt.

Images

www.rockland.com Page 2 of 3



www.rockland.com tech@rockland.com +1 484.791.3823



SDS-PAGE

SDS-PAGE of Human Interleukin-19 Animal Free Recombinant Protein. Lane 1: Molecular weight marker. Lane 2: 1 μ g Human IL-19 AF in reducing conditions (+). Lane 3: Molecular weight marker. Lane 4: 1 μ g Human IL-19 AF in non-reducing conditions (-). Human IL-19 AF has a predicted MW of 17.9 kDa.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3